

REBAR AREAS AND SPACING

SPACING	#3	#4	#5	#6	#7	#8	#9	#10	#11
4	0.33	0.60	0.93	1.32	1.80	2.37	3.00	3.81	4.68
4.5	0.29	0.53	0.83	1.17	1.60	2.11	2.67	3.39	4.16
5	0.26	0.48	0.74	1.06	1.44	1.90	2.40	3.05	3.74
5.5	0.24	0.44	0.68	0.96	1.31	1.72	2.18	2.77	3.40
6	0.22	0.40	0.62	0.88	1.20	1.58	2.00	2.54	3.12
6.5	0.20	0.37	0.57	0.81	1.11	1.46	1.85	2.34	2.88
7	0.19	0.34	0.53	0.75	1.03	1.35	1.71	2.18	2.67
7.5	0.18	0.32	0.50	0.70	0.96	1.26	1.60	2.03	2.50
8	0.17	0.30	0.47	0.66	0.90	1.19	1.50	1.91	2.34
8.5	0.16	0.28	0.44	0.62	0.85	1.12	1.41	1.79	2.20
9	0.15	0.27	0.41	0.59	0.80	1.05	1.33	1.69	2.08
9.5	0.14	0.25	0.39	0.56	0.76	1.00	1.26	1.60	1.97
10	0.13	0.24	0.37	0.53	0.72	0.95	1.20	1.52	1.87
10.5	0.13	0.23	0.35	0.50	0.69	0.90	1.14	1.45	1.78
11	0.12	0.22	0.34	0.48	0.65	0.86	1.09	1.39	1.70
11.5		0.21	0.32	0.46	0.63	0.82	1.04	1.33	1.63
12		0.20	0.31	0.44	0.60	0.79	1.00	1.27	1.56
13		0.18	0.29	0.41	0.55	0.73	0.92	1.17	1.44
14		0.17	0.27	0.38	0.51	0.68	0.86	1.09	1.34
15		0.16	0.25	0.35	0.48	0.63	0.80	1.02	1.25
16		0.15	0.23	0.33	0.45	0.59	0.75	0.95	1.17
17		0.14	0.22	0.31	0.42	0.56	0.71	0.90	1.10
18		0.13	0.21	0.29	0.40	0.53	0.67	0.85	1.04