



**ADDENDUM # 1**

**October 18, 2017**

To all Bidders for the solicitation titled:

District One Shop / Supply Roof Repair  
(ITB)A000163

Please notify everyone concerned (subcontractors and suppliers) as to the issuance and contents of this Addendum prior to the date of bid opening. The following changes, deletions and/or additions have been made to the above mentioned solicitation. All other information will remain the same. This Addendum is a part of the contract documents and modifies them as follows:

- Existing rock will be removed by contractor from roof and placed in staging area in ITD's Yard.
- Parapet walls will have existing rubber membrane removed and replaced with 80 mils TPO membrane that will be wrapped under top cap of walls. (Recoping)
- TPO membrane will be mechanically fastened to roof deck.
- All roof penetrations, hoods, vents, E.T.C will rebooted with new TPO membrane.
- TPO membrane roofing system will have a One (1) Year labored warranty and a Twenty (20) Manufacturer warranty.

There are no other changes

Doug Buswell, Buyer  
Idaho Transportation Department

I acknowledge that I have received and read this addendum, and that failure to return a signed copy of this addendum with my response may result in my bid being found non-responsive.

Bidder (company name): \_\_\_\_\_  
Authorized Signature: \_\_\_\_\_  
Printed Name: \_\_\_\_\_  
Date: \_\_\_\_\_

**THIS ADDENDUM MUST BE SIGNED, DATED AND RETURNED WITH YOUR RESPONSE**

End of Addendum # 1

---