



ADDENDUM # 1

November 1, 2017

To all Bidders for the solicitation titled:

Bid Title: Coeur d'Alene ITD Compound Security System
Bid #: A000164

Please notify everyone concerned (subcontractors and suppliers) as to the issuance and contents of this Addendum prior to the date of bid opening. The following changes, deletions and/or additions have been made to the above mentioned solicitation. All other information will remain the same. This Addendum is a part of the contract documents and modifies them as follows:

- A. Reuse existing control panels that are already in the buildings
- B. Do not need to replace scramble pads that are currently in place and working properly
- C. Do need to replace all gel pads that are on the front of the scramble pads currently in use
- D. Each scramble pad box needs to have a proximity sensor on it, existing and new installation
- E. New installation scramble pads to be orange LED's
- F. Personnel to use scramble pad/proximity sensor for entrance into buildings only, nothing for exiting buildings
- G. Contractor to supply all hardware
- H. Shroud all walk through gate egress buttons, existing and new installation
- I. Ground loops at vehicle gates must all work properly so vehicles can exit without using scramble pad
- J. Extend proximity readers on vehicle gates so they are approximately even vertically with scramble pads
- K. Vehicle gate entrances and exits must work properly without operators getting out of their vehicle
- L. Ground loop for exit through southern most vehicle gate only, no scramble pad or proximity sensor needed for exit
- M. Contractor responsible for redoing the curbing for the man gate that gets moved down the fence line. Curbing needs to be similar to what is at the current man gate location

There are no other changes.

Shad Flores, Buyer
Idaho Transportation Department

I acknowledge that I have received and read this addendum, and that failure to return a signed copy of this addendum with my response may result in my bid being found non-responsive.

Bidder (company name): _____
Authorized Signature: _____
Printed Name: _____
Date: _____

THIS ADDENDUM MUST BE SIGNED, DATED AND RETURNED WITH YOUR RESPONSE

End of Addendum # 1
