

Idaho Transportation Department  
Percent of MADT At Continuous Count Speed Sites

Site ID: 001540 146.997

Scheme ID: 6

Location: #097 US-95 13.5 Mi. SW of New Meadows (Tamarack)

County: ADAMS

Axle Factor Group: 2

Growth Factor Group: 1

Seasonal Factor Group: 6

FHWA Functional Class: 2

Speed Limit: 55

| SPEED    | 1998 Traffic Year |       |       |       |       |       |       |       |       |       |       |       |      |
|----------|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
|          | Jan               | Feb   | Mar   | Apr   | May   | Jun   | Jul   | Aug   | Sep   | Oct   | Nov   | Dec   | Avg  |
| 0>-30    | 3.6               | 1.6   | 0.7   | 0.9   | 1.5   | 0.5   | 0.5   | 0.8   | 0.5   | 0.3   | 1.9   | 2.5   | 1.3  |
| 30>-35   | 6.5               | 3.3   | 1.5   | 1.2   | 1.3   | 0.9   | 1.3   | 1.8   | 0.9   | 0.7   | 2.3   | 5.6   | 2.3  |
| 35>-40   | 14.7              | 10.3  | 6.4   | 5.2   | 6.2   | 6.0   | 7.4   | 9.1   | 4.6   | 4.2   | 8.1   | 13.1  | 7.9  |
| 40>-45   | 26.1              | 23.1  | 19.2  | 16.8  | 18.5  | 19.9  | 22.6  | 24.8  | 16.8  | 15.4  | 19.5  | 22.2  | 20.4 |
| 45>-50   | 28.0              | 32.3  | 32.4  | 30.6  | 30.5  | 33.6  | 34.5  | 34.0  | 31.1  | 30.1  | 30.2  | 26.5  | 31.2 |
| 50>-55   | 16.5              | 22.7  | 28.4  | 30.5  | 28.3  | 27.9  | 24.9  | 22.4  | 28.5  | 30.6  | 25.8  | 19.9  | 25.5 |
| 55>-60   | 4.2               | 5.8   | 9.6   | 12.2  | 11.4  | 9.3   | 7.3   | 6.2   | 13.6  | 14.3  | 9.6   | 7.3   | 9.2  |
| 60>-65   | 0.4               | 0.8   | 1.5   | 2.3   | 2.0   | 1.5   | 1.2   | 0.8   | 3.4   | 3.5   | 2.1   | 1.8   | 1.8  |
| 65>-70   | 0.1               | 0.1   | 0.1   | 0.3   | 0.2   | 0.2   | 0.2   | 0.1   | 0.5   | 0.6   | 0.3   | 0.6   | 0.3  |
| 70>-75   | 0.0               | 0.0   | 0.0   | 0.1   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.2   | 0.1   | 0.3   | 0.1  |
| 75>-80   | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.0   | 0.1   | 0.0  |
| 80>-85   | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.0  |
| 85>-140  | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.1   | 0.2   | 0.0  |
| AVG SPD  | 43.9              | 46.1  | 48.1  | 48.8  | 48.2  | 48.2  | 47.5  | 46.7  | 49.4  | 49.8  | 47.5  | 45.8  | 47.5 |
| 50% SPD  | 44.9              | 46.8  | 48.4  | 49.2  | 48.7  | 48.4  | 47.6  | 47.0  | 49.4  | 49.9  | 48.0  | 46.3  | 47.9 |
| 85% SPD  | 51.9              | 53.2  | 54.3  | 55.0  | 54.8  | 54.3  | 53.7  | 53.2  | 56.0  | 56.3  | 54.5  | 53.8  | 54.3 |
| %EXCD 55 | 4.7               | 6.7   | 11.3  | 14.8  | 13.7  | 11.1  | 8.7   | 7.1   | 17.7  | 18.7  | 12.2  | 10.2  | 11.4 |
| %EXCD 60 | 0.5               | 0.9   | 1.7   | 2.6   | 2.3   | 1.8   | 1.4   | 0.9   | 4.1   | 4.4   | 2.6   | 2.9   | 2.2  |
| %EXCD 65 | 0.1               | 0.1   | 0.2   | 0.3   | 0.3   | 0.2   | 0.3   | 0.1   | 0.7   | 0.9   | 0.6   | 1.2   | 0.4  |
| %EXCD 70 | 0.0               | 0.0   | 0.0   | 0.1   | 0.0   | 0.0   | 0.1   | 0.0   | 0.2   | 0.3   | 0.3   | 0.6   | 0.1  |
| %EXCD 75 | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.2   | 0.2   | 0.3   | 0.1  |
| %EXCD 80 | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.1   | 0.2   | 0.1  |
| %EXCD 85 | 0.0               | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.0   | 0.1   | 0.1   | 0.2   | 0.0  |
|          | 993               | 1,147 | 1,165 | 1,196 | 1,340 | 1,745 | 2,008 | 2,067 | 1,816 | 1,660 | 1,334 | 1,036 |      |