

Monthly WIM Distribution for 02/2011

Site Names: 00115, Wolf Lodge WIM
 County: Kootenai (28)
 Funct. Class: R Principal Arterial - Interstate
 Location: I-90 1.3 Mi. E of Jct SH-97

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCAL	UNCLS
Roadway	Num	5	4,621	2,531	52	342	44	4	31	1,178	121	11	32	69	43	0
	Flex	0.00	0.00	0.00	1.14	0.18	1.23	3.05	0.59	2.58	1.84	2.43	1.33	2.78	1.67	0.00
	Rigid	0.00	0.00	0.00	1.43	0.19	2.05	7.57	0.67	4.28	3.77	2.46	1.52	4.72	2.27	0.00
	GVW	4.0	3.4	6.0	29.4	14.9	38.2	63.0	33.2	71.9	79.7	63.5	65.2	91.4	40.0	0.0
W DIR	Num	3	2,322	1,278	23	155	19	3	15	563	61	5	17	38	22	0
	Flex	0.00	0.00	0.00	1.12	0.21	1.54	2.40	0.48	2.42	2.51	2.20	0.93	2.97	1.97	0.00
	Rigid	0.00	0.00	0.00	1.40	0.23	2.64	5.08	0.54	4.02	5.23	2.26	1.08	5.13	2.63	0.00
	GVW	3.3	3.3	5.8	28.5	15.4	40.7	71.9	31.7	69.7	92.3	57.9	58.6	90.2	42.7	0.0
E DIR	Num	2	2,299	1,252	29	187	24	2	16	615	60	5	15	32	20	0
	Flex	0.00	0.00	0.00	1.16	0.16	0.98	5.07	0.70	2.73	1.15	2.65	1.77	2.54	1.35	0.00
	Rigid	0.00	0.00	0.00	1.45	0.17	1.57	13.04	0.80	4.52	2.27	2.66	2.00	4.21	1.89	0.00
	GVW	5.9	3.5	6.2	30.0	14.5	36.0	71.9	34.7	73.9	66.7	69.1	72.3	92.3	36.6	0.0
W 1	Num	1	1,845	1,002	21	150	18	3	14	537	57	5	16	36	19	0
	Flex	0.00	0.00	0.00	1.20	0.21	1.66	2.40	0.49	2.52	2.65	2.30	0.97	3.06	2.30	0.00
	Rigid	0.00	0.00	0.00	1.50	0.22	2.85	5.08	0.55	4.18	5.53	2.37	1.12	5.28	3.09	0.00
	GVW	5.6	3.3	6.3	29.3	15.3	42.0	71.9	31.8	70.8	94.4	59.3	59.6	91.4	47.4	0.0
W 2	Num	2	477	276	2	5	2	0	0	26	4	0	1	1	3	0
	Flex	0.00	0.00	0.00	0.28	0.28	0.51	0.00	0.43	0.45	0.54	1.80	0.40	0.89	0.14	0.00
	Rigid	0.00	0.00	0.00	0.39	0.30	0.77	0.00	0.46	0.67	1.06	1.71	0.43	1.58	0.18	0.00
	GVW	3.9	3.0	4.0	24.8	15.2	49.2	0.0	69.7	44.6	63.6	154.0	78.2	78.2	15.4	0.0
E 2	Num	1	477	281	2	6	2	0	1	30	3	0	2	2	4	0
	Flex	0.01	0.00	0.00	0.67	0.86	0.16	1.15	0.14	0.50	0.18	1.00	0.34	0.51	0.19	0.00
	Rigid	0.01	0.00	0.00	0.80	0.97	0.20	3.29	0.15	0.76	0.33	0.94	0.36	0.85	0.22	0.00
	GVW	12.7	3.0	3.9	19.3	17.6	33.4	204.7	35.6	48.0	41.8	135.2	56.5	59.9	12.9	0.0
E 1	Num	1	1,822	971	26	181	22	2	15	585	57	5	13	30	17	0
	Flex	0.01	0.00	0.00	1.21	0.14	1.07	5.76	0.72	2.84	1.21	2.78	1.96	2.68	1.62	0.00
	Rigid	0.01	0.00	0.00	1.52	0.14	1.72	14.67	0.82	4.71	2.38	2.80	2.22	4.44	2.28	0.00
	GVW	6.9	3.7	6.8	31.0	14.4	37.7	100.6	35.0	75.2	68.2	70.3	76.0	94.3	42.3	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9