

Monthly WIM Distribution for 04/2011

Site Names: 00117, Cotterel WIM
 County: Cassia (16)
 Funct. Class: R Principal Arterial - Interstate
 Location: I-84 3.7 Mi. SE of Jct SH-81

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCAL	UNCLS
Roadway	Num	6	2,271	1,172	47	341	25	2	26	2,145	121	48	46	230	229	0
	Flex	0.01	0.00	0.00	1.00	0.19	0.49	1.86	0.55	2.07	1.46	2.05	1.46	2.27	0.43	0.00
	Rigid	0.01	0.00	0.00	1.27	0.20	0.73	3.34	0.67	3.42	2.97	2.04	1.64	2.94	0.60	0.00
	GVW	4.6	3.6	5.9	29.3	18.3	27.2	55.4	31.6	68.9	77.5	63.6	68.5	85.9	27.8	0.0
NW DIR	Num	3	1,153	557	25	251	12	1	16	1,145	66	26	27	116	106	0
	Flex	0.01	0.00	0.00	1.31	0.19	0.73	3.48	0.69	2.39	1.73	2.72	2.04	3.31	0.69	0.00
	Rigid	0.01	0.00	0.00	1.66	0.20	1.13	6.24	0.85	3.99	3.48	2.72	2.32	4.21	0.96	0.00
	GVW	5.3	4.0	6.2	30.6	18.3	31.0	81.1	33.1	70.9	76.6	69.5	77.6	97.4	25.2	0.0
SE DIR	Num	4	1,118	615	22	90	14	1	10	1,000	56	22	19	114	123	0
	Flex	0.01	0.00	0.00	0.63	0.19	0.28	2.59	0.31	1.71	1.13	1.24	0.68	1.22	0.22	0.00
	Rigid	0.01	0.00	0.00	0.80	0.19	0.39	4.98	0.35	2.78	2.35	1.21	0.72	1.64	0.31	0.00
	GVW	5.0	3.3	5.6	27.4	18.1	23.7	89.8	28.6	66.5	77.9	55.8	56.4	74.4	30.0	0.0
NW 1	Num	2	739	347	23	246	11	1	16	1,127	64	25	26	115	102	0
	Flex	0.01	0.00	0.01	1.40	0.19	0.73	3.48	0.72	2.42	1.77	2.79	2.05	3.34	0.72	0.00
	Rigid	0.01	0.00	0.01	1.77	0.20	1.13	6.24	0.88	4.05	3.55	2.79	2.34	4.26	0.99	0.00
	GVW	6.1	4.5	7.2	31.4	18.3	30.9	81.1	33.6	71.4	77.5	70.2	77.6	97.7	25.9	0.0
NW 2	Num	1	414	210	2	6	0	0	1	19	1	1	1	2	5	0
	Flex	0.00	0.00	0.00	0.32	0.08	2.11	0.00	0.64	0.40	1.02	1.45	1.02	1.81	0.16	0.00
	Rigid	0.00	0.00	0.00	0.41	0.08	3.06	0.00	0.82	0.60	2.43	1.38	1.02	3.13	0.20	0.00
	GVW	7.7	3.0	4.5	26.4	16.8	197.7	0.0	70.9	43.0	76.0	93.2	142.1	72.6	9.5	0.0
SE 2	Num	0	384	201	3	7	1	0	1	41	3	2	3	12	8	0
	Flex	0.00	0.00	0.00	0.33	0.08	0.45	0.00	0.16	0.82	0.52	0.99	0.33	0.80	0.13	0.00
	Rigid	0.00	0.00	0.00	0.42	0.08	0.59	0.00	0.17	1.27	1.06	0.95	0.33	1.01	0.17	0.00
	GVW	15.0	3.0	4.4	23.1	15.7	35.6	0.0	30.4	54.4	59.3	64.6	45.6	66.0	16.4	0.0
SE 1	Num	3	734	414	20	83	13	1	9	958	53	20	16	102	116	0
	Flex	0.01	0.00	0.00	0.67	0.20	0.28	2.59	0.33	1.75	1.17	1.29	0.75	1.27	0.22	0.00
	Rigid	0.01	0.00	0.00	0.85	0.20	0.39	4.98	0.38	2.85	2.44	1.26	0.80	1.71	0.32	0.00
	GVW	5.0	3.4	6.2	27.6	18.3	23.9	89.8	29.3	67.0	79.2	56.7	58.4	75.0	31.0	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9