

## Monthly WIM Distribution for 06/2011

Site Names: 00117, Cotterel WIM  
 County: Cassia (16)  
 Funct. Class: R Principal Arterial - Interstate  
 Location: I-84 3.7 Mi. SE of Jct SH-81

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCAL	UNCLS
<b>Roadway</b>	<b>Num</b>	14	3,019	1,418	68	626	41	6	45	2,037	119	33	36	242	346	0
	<b>Flex</b>	0.00	0.00	0.00	1.58	0.27	0.75	1.63	0.57	2.74	2.10	2.71	2.13	2.98	0.40	0.00
	<b>Rigid</b>	0.00	0.00	0.00	2.02	0.28	1.25	3.47	0.72	4.68	4.29	2.75	2.64	3.88	0.55	0.00
	<b>GVW</b>	4.3	4.0	5.9	30.9	18.7	32.5	54.9	30.2	73.7	85.1	67.1	74.7	91.6	24.7	0.0
<b>NW DIR</b>	<b>Num</b>	5	1,466	565	36	474	16	2	31	1,163	67	17	22	124	169	0
	<b>Flex</b>	0.00	0.00	0.01	2.33	0.29	1.13	5.44	0.66	3.48	2.70	4.04	3.11	4.61	0.53	0.00
	<b>Rigid</b>	0.00	0.00	0.01	3.00	0.31	1.96	12.01	0.86	6.06	5.48	4.16	3.91	5.91	0.76	0.00
	<b>GVW</b>	3.9	4.7	6.1	33.6	18.9	37.5	79.5	29.8	78.8	85.9	76.1	87.3	105.6	21.1	0.0
<b>SE DIR</b>	<b>Num</b>	9	1,553	853	32	152	25	5	14	875	52	16	14	118	177	0
	<b>Flex</b>	0.00	0.00	0.00	0.71	0.20	0.50	1.10	0.35	1.75	1.32	1.29	0.64	1.29	0.27	0.00
	<b>Rigid</b>	0.00	0.00	0.00	0.89	0.20	0.79	2.22	0.41	2.84	2.73	1.26	0.71	1.80	0.35	0.00
	<b>GVW</b>	4.6	3.3	5.8	27.8	17.9	29.1	50.1	30.5	66.8	83.5	56.7	55.4	76.8	28.0	0.0
<b>NW 1</b>	<b>Num</b>	3	906	285	34	467	15	2	30	1,144	66	16	22	121	161	0
	<b>Flex</b>	0.00	0.01	0.01	2.48	0.29	1.17	5.43	0.67	3.54	2.76	4.18	3.13	4.71	0.56	0.00
	<b>Rigid</b>	0.00	0.01	0.01	3.18	0.32	2.03	11.99	0.88	6.15	5.60	4.30	3.93	6.05	0.80	0.00
	<b>GVW</b>	3.9	5.8	7.9	34.4	18.9	38.3	78.8	30.1	79.5	86.9	77.8	87.4	106.9	21.8	0.0
<b>NW 2</b>	<b>Num</b>	2	560	280	3	7	0	0	1	19	2	0	0	3	8	0
	<b>Flex</b>	0.00	0.00	0.00	0.17	0.05	0.16	0.00	0.27	0.24	0.34	0.88	1.67	0.69	0.04	0.00
	<b>Rigid</b>	0.00	0.00	0.00	0.20	0.05	0.18	0.00	0.28	0.35	0.71	0.83	1.73	1.07	0.05	0.00
	<b>GVW</b>	4.4	3.0	4.3	19.3	15.3	51.2	0.0	54.2	39.0	70.1	117.1	326.9	68.2	8.8	0.0
<b>SE 2</b>	<b>Num</b>	1	527	277	3	9	2	0	1	45	3	1	2	13	12	0
	<b>Flex</b>	0.01	0.00	0.00	0.46	0.09	0.28	5.69	0.45	0.64	0.78	1.21	0.17	0.62	0.10	0.00
	<b>Rigid</b>	0.01	0.00	0.00	0.58	0.09	0.36	10.43	0.47	0.97	1.62	1.14	0.17	0.77	0.13	0.00
	<b>GVW</b>	6.0	3.0	4.3	29.8	16.2	31.8	213.7	48.2	50.7	74.0	89.4	38.3	65.0	14.7	0.0
<b>SE 1</b>	<b>Num</b>	8	1,025	576	29	142	23	4	13	830	49	15	12	105	165	0
	<b>Flex</b>	0.00	0.00	0.00	0.74	0.20	0.53	1.17	0.36	1.81	1.36	1.34	0.73	1.37	0.28	0.00
	<b>Rigid</b>	0.00	0.00	0.00	0.94	0.21	0.84	2.37	0.42	2.95	2.83	1.31	0.81	1.92	0.37	0.00
	<b>GVW</b>	4.5	3.5	6.5	28.1	18.0	29.9	51.3	30.6	67.6	84.7	57.6	59.0	78.2	29.0	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9