

Idaho Transportation Department

Monthly WIM Distribution for Oct-2020

Site names: 00166
 County: Jerome
 Funct Class: R Principal Arterial - Interstate
 Location: I-84 106 Ft. E of Eden Rd UP

Seasonal Factor Grp: 3
 Daily Factor Grp: 3
 Axle Factor Grp: 1
 Growth Factor Grp:

| | | MC | CAR | PU | BUS | 2D | SU 3 | SU 4+ | ST 4- | ST 5 | ST 6+ | MT 5- | MT 6 | MT 7+ | OFSC |
|---------|-------|--------|------|------|------|------|------|-------|-------|------|-------|-------|------|-------|------|
| Road | Num | 22,952 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 19.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| E | Num | 11,451 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 18.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| W | Num | 11,501 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .23 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 20.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| E Lane1 | Num | 7,054 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .24 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 25.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| E Lane2 | Num | 4,398 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 7.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| W Lane1 | Num | 6,826 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Flex | .34 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .58 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 28.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Idaho Transportation Department

Monthly WIM Distribution for Oct-2020

Site names: 00166
 County: Jerome
 Funct Class: R Principal Arterial - Interstate
 Location: I-84 106 Ft. E of Eden Rd UP

Seasonal Factor Grp: 3
 Daily Factor Grp: 3
 Axle Factor Grp: 1
 Growth Factor Grp:

| | | MC | CAR | PU | BUS | 2D | SU 3 | SU 4+ | ST 4- | ST 5 | ST 6+ | MT 5- | MT 6 | MT 7+ | OFSC |
|-------|-------|-------|------|------|------|------|------|-------|-------|------|-------|-------|------|-------|------|
| W | Num | 4,675 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lane2 | Flex | .05 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | Rigid | .09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| | GVW | 7.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | UNCL |
|-------|-------|------|
| Road | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |
| E | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |
| W | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |
| E | Num | 0 |
| Lane1 | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

Idaho Transportation Department

Monthly WIM Distribution for Oct-2020

Site names: 00166
 County: Jerome
 Funct Class: R Principal Arterial - Interstate
 Location: I-84 106 Ft. E of Eden Rd UP

Seasonal Factor Grp: 3
 Daily Factor Grp: 3
 Axle Factor Grp: 1
 Growth Factor Grp:

| | | UNCL |
|------------|-------|------|
| E Lane2 | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |
| W Lane1 | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |
| W Lane2 | Num | 0 |
| | Flex | 0.00 |
| | Rigid | 0.00 |
| | GVW | 0.0 |

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9