

INTERMEDIATE DIAPHRAGM DETAILS
3/8"=1'-0"

PVC INSERTS FOR STEEL CONDUIT. EXTEND 6" EACH SIDE OF DIAPHRAGM. CAP BOTH ENDS OF UNUSED INSERTS.



DETAIL A
N.T.S.

NOTES

1. UNUSED CONDUIT SHALL HAVE A PULL ROPE INSTALLED AND SHALL BE CAPPED AT BOTH ENDS.
2. ALL MATERIALS SHALL BE GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH AASHTO M111 OR AASHTO M232.
3. ANY PAINTED SURFACES DAMAGED DURING CONSTRUCTION SHALL BE CLEANED AND PAINTED AS DIRECTED BY THE ENGINEER. ANY PAINT SPLATTER SHALL BE REMOVED FROM THE BRIDGE.



MULTIPLE UTILITY DETAIL
N.T.S.



APPROACH SLAB PARTIAL END DIAPHRAGM PLAN
3/8"=1'-0"

REVISIONS			
NO.	DATE	BY	DESCRIPTION

DESIGNED
DESIGN CHECKED
DETAILED
DWG. CHECKED
CORRECTIONS

SCALES SHOWN ARE FOR 34" X 22" PRINTS ONLY

CADD FILE NO. \prj00000\bridge\b02_4b.dgn

DRAWING DATE: JUNE 2006

ORIGINAL SIGNED BY:

DATE SIGNED: DATE

ORIGINAL STORED AT ITD BRIDGE SECTION

IDAHO TRANSPORTATION DEPARTMENT

English

PROJECT NO.

UTILITY HANGERS FOR PRESTRESSED GIRDERS

BRIDGE PLANS

BRIDGE LRFD MANUAL, PAGE B2.4B

COUNTY | KEY NO.

BRIDGE DRAWING NO. | SHEET OF