

Key No. 23956, 20212 - I-84 SYSTEM IC AND
FRANKLIN RD IC Ada & Canyon County

Item No	Description	QTY	Unit
104-005A	PARTNERING	100,000.00	CA
105-010A	DISPUTE REVIEW BOARD - THREE MEMBER (CONT ITEM)	126,000.00	CA
107-019A	SURVEY MONUMENT PRESERVATION	10,000.00	CA
110-005A	TRAINING	2,500.00	HR
201-005A	CLEARING & GRUBBING	72.00	ACRE
203-006A	REMOVAL OF SIGN	15.00	EACH
203-015A	REMOVAL OF BITUMINOUS SURFACE	10,806.00	SY
203-025A	REMOVAL OF CATCH BASIN	10.00	EACH
203-060A	REMOVAL OF CONCRETE SIDEWALK	25.00	SY
203-065A	REMOVAL OF CURB	924.00	FT
203-080B	REMOVAL OF BARRIER	5,039.00	FT
203-095A	REMOVAL OF MANHOLE	3.00	EACH
203-121A	REMOVAL OF MISCELLANEOUS ITEMS (MEDIAN)	125.00	SY
203-122A	REMOVAL OF MISCELLANEOUS ITEMS (CRASH CUSHION)	1.00	EACH
203-122B	REMOVAL OF MISCELLANEOUS ITEMS (APRON)	2.00	EACH
203-130A	REMOVAL OF PAVEMENT MARKINGS	147,200.00	FT
203-130B	REMOVAL OF PAVEMENT MARKINGS	70.00	SF
205-005A	EXCAVATION	114,000.00	CY
205-040A	GRANULAR BORROW	734,000.00	CY
205-060A	WATER FOR DUST ABATEMENT	3,075.00	MG
210-005A	STRUCTURE EXCAVATION SCHEDULE NO. 1	27.70	CY
210-015A	COMPACTING BACKFILL	3,342.40	CY
212-011A	FIBER WATTLE	43,052.00	FT
212-060A	STABILIZED CONSTRUCTION ENTRANCE	8.00	EACH
212-095A	INLET PROTECTION FILTER INSERT	158.00	EACH
212-095B	INLET PROTECTION FIBER WATTLE	4.00	EACH
212-105A	WATER AND POLLUTION	55,000.00	CA
212-110A	WATER POLLUTION CONTROL MANAGER	1.00	LS
213-005A	TOPSOIL (6")	21,452.00	CY
251-005A	MIGRATORY BIRD TREATY ACT COMPLIANCE	15,000.00	CA
301-005A	GRANULAR SUBBASE	8,860.00	TON
301-010A	GRANULAR SUBBASE	2,582.00	CY
303-022A	3/4" AGGREGATE TYPE B FOR BASE	45,085.00	TON
401-020A	CSS-1 DIL EMUL ASPH FOR TACK COAT	8,950.00	GAL
405-240A	MISCELLANEOUS PAVEMENT	110.00	SY
405-415A	SUPERPAVE HMA PAVEMENT CLASS SP-NS 1/2", PG 58-28	8,111.00	TON
405-455A	SUPERPAVE HMA PAV INCL ASPH&ADD CL SP-5 1/2", PG 76-28	9,110.00	TON
408-010A	DILUTED EMULSIFIED ASPHALT FOR FOG COAT	4,750.00	GAL
409-015A	CONCRETE PAVEMENT (DEPTH OF PAVEMENT - 10")	20,150.00	SY
431-005A	COLD MILLING	146,000.00	SY
502-140A	CONCRETE CLASS 40-A SCHEDULE NO. 1	1,322.90	CY
502-310A	CONCRETE CLASS 40 AF SCHEDULE NO. 2	2,506.60	CY
502-375A	PRESTRESSED BULB TEE GIRDER (37" TOP FLANGE 42" DEPTH)	350.00	FT
502-425A	PRESTRESSED STRINGER (WF 74" DEPTH)	614.20	FT
502-425C	PRESTRESSED STRINGER (WF 50" DEPTH)	539.00	FT

502-430A	CONCRETE PARAPET (42" HIGH)	4,580.00	FT
502-435A	APPROACH SLAB	1,548.80	SY
503-010A	METAL REINFORCEMENT SCHEDULE NO. 1	359,934.00	LB
503-015A	METAL REINFORCEMENT SCHEDULE NO. 2	233,815.00	LB
503-020A	EPOXY COATED METAL REINFORCEMENT	349,652.00	LB
504-005A	STEEL BRIDGE (APPROX. WT. 1,478,222 LB)	1.00	LS
504-005B	STEEL BRIDGE (APPROX. WT. 677,730 LB)	1.00	LS
504-005C	STEEL BRIDGE (APPROX. WT. 1,567,000 LB)	1.00	LS
505-110A	PROVIDE & DRIVE 16" DIA STEEL SHELL PILE	6,227.40	FT
505-160A	PROV&DRIV TEST STEEL SHELL PILE (16")	1,184.90	FT
505-205B	PROV&INST 16" DIA PILE SHOES OR TIPS	106.00	EACH
505-215A	SPLICE STEEL PILE BEFORE DRIVING	62.00	EACH
505-215B	SPLICE STEEL PILE DURING DRIVING	218.00	EACH
507-005B	ELASTOMERIC BEARINGS PLAIN (SIZE 3/4 X 11 X 33 INCHES)	18.00	EA
507-005C	ELASTOMERIC BEARINGS PLAIN (SIZE 3/4 X 10 X 27 INCHES)	8.00	EA
507-010A	ELASTOMERIC BEARINGS LAMINATED (SIZE 2.3 X 10 X 35 INCHES)	16.00	EA
511-005A	CONCRETE WATERPROOF SYSTEM (TYPE C)	2,421.00	SY
520-005A	PREDRILLING FOR PILING IN SOIL	2,223.90	FT
521-005A	DYNAMIC PILE TESTING	24.00	EA
521-010A	CAPWAP ANALYSIS	36.00	EA
551-005A	PREPARED & PLACED PPC OVERLAY	9,040.60	SY
551-010A	FURNISHED PPC OVERLAY MATERIAL	207.70	CY
566-005A	COMPRESSION EXPANSION JOINT (2.5-INCH)	169.70	FT
566-005B	COMPRESSION EXPANSION JOINT (2.0-INCH)	65.70	FT
566-005C	COMPRESSION EXPANSION JOINT (1.5-INCH)	87.20	FT
566-005D	COMPRESSION EXPANSION JOINT (1.0-INCH)	204.50	FT
567-005A	STRIP SEAL EXPANSION JOINT	59.10	FT
574-005A	ANTI-GRAFFITI COATING	53,247.00	SF
575-005A	TEXTURED CONCRETE SURFACE	5,014.00	SY
576-005A	(GFRP) REINFORCEMENT	2,090.00	FT
577-005A	PILE SLEEVES	1,533.40	FT
584-005A	TEMPORARY SHORING	1.00	LS
586-005A	UTILITY CONDUIT	1.00	LS
605-025A	12" STORM SEWER PIPE	273.00	FT
605-030A	15" STORM SEWER PIPE	6.00	FT
605-035A	18" STORM SEWER PIPE	4,944.50	FT
605-045A	24" STORM SEWER PIPE	1,223.00	FT
605-465A	MANHOLE TYPE C	14.00	EACH
605-500A	CATCH BASIN TYPE 1	6.00	EACH
605-505A	CATCH BASIN TYPE 1A	13.00	EACH
605-630A	INLET TYPE 8	3.00	EACH
605-635A	ADJUST MANHOLE COVERS	4.00	EACH
608-035A	18" APRON FOR PIPE	8.00	EACH
608-045A	24" APRON FOR PIPE	1.00	EACH
612-005A	W-BEAM GUARDRAIL	1,458.00	FT
612-010A	CONCRETE BARRIER TRANSITION	25.00	EACH
612-115C	GUARDRAIL TERMINAL, TANGENT	3.00	EACH
612-120B	GUARDRAIL TRANSITION, HIGH SPEED	3.00	EACH
612-150A	CONCRETE BARRIER	15,198.00	FT

612-155A	CONCRETE TERMINAL TYPE A	8.00	EACH
612-175A	CAST-IN-PLACE CONCRETE BARRIER (BRIDGE MEDIAN)	264.00	FT
613-025A	CRASH CUSHION, SACRIFICIAL-METAL	9.00	EACH
613-030A	CRASH CUSHION, PARTIALLY REUSABLE	1.00	EACH
614-015A	SIDEWALK	678.00	SY
614-025B	CURB RAMP PERPENDICULAR	155.00	SY
615-256A	CURB TYPE 1	973.00	FT
615-258A	CURB TYPE 3	162.00	FT
615-492A	CURB & GUTTER TYPE 2	1,042.00	FT
615-493A	CURB & GUTTER TYPE 3	433.00	FT
616-010A	SIGN TYPE B-1	351.50	SF
616-015A	SIGN TYPE C-1	4,880.00	SF
616-031A	OVERHEAD CANTILEVER SIGN STRUCTURE (35' SPAN)	1.00	EACH
616-031B	OVERHEAD CANTILEVER SIGN STRUCTURE (45' SPAN)	6.00	EACH
616-040G	STEEL SIGN POST TYPE B-2 (BREAKAWAY)	352.00	FT
616-040H	STEEL SIGN POST TYPE B-3 (BREAKAWAY)	54.00	FT
616-040I	STEEL SIGN POST TYPE B-4 (BREAKAWAY)	46.00	FT
616-080A	REINSTALL SIGN FACE	9.00	EACH
616-090A	SPECIAL INSTALL SIGN	14.00	EACH
616-100A	SIGN BRACES	600.00	LB
617-005A	DELINEATOR TYPE 1	232.00	EACH
617-010A	DELINEATOR TYPE 2	43.00	EACH
617-045A	DELINEATOR TYPE 9	52.00	EACH
618-015A	REFERENCE MARKER	3.00	EACH
619-010A	ILLUMINATION TYPE 2	1.00	LS
621-005A	SEED BED PREPARATION	26.59	ACRE
621-010A	SEEDING (PERMANENT)	27.18	ACRE
621-010B	SEEDING (TEMPORARY)	27.43	ACRE
621-035A	FERTILIZING	27.18	ACRE
621-065A	HYDRA APPLIED EROSION CONTROL PROD	54.61	ACRE
623-005A	CONCRETE SLOPE PAVING	1,284.70	SY
624-005A	LOOSE RIPRAP (D50=6")	359.00	CY
626-005A	PEDESTRIAN CHANNELIZING DEVICES	1,100.00	FT
626-010A	TEMPORARY TRAFFIC CONTROL SIGNS	3,090.63	SF
626-040A	BARRICADE TYPE 3	15.00	EACH
626-050A	DRUMS	550.00	EACH
626-076B	ARROW BOARD TYPE C	83.00	DAY
626-092A	TEMPORARY PAVEMENT MARKING TAPE	10,440.00	FT
626-093A	TEMP PAV MARKING - WATERBORNE	562,250.00	FT
626-100B	MISC TEMPORARY TRAF CONT ITEMS (20212)	5,000.00	CA
626-100B	MISC TEMPORARY TRAF CONT ITEMS (23956)	10,000.00	CA
626-105A	TEMPORARY TRAFFIC CONTROL MAINTENANCE (20212)	380.00	HR
626-105A	TEMPORARY TRAFFIC CONTROL MAINTENANCE (23956)	400.00	HR
626-112A	FLOOD LIGHTS	6,480.00	HR
626-115B	PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)	308.00	DAY
626-116A	TEMPORARY CONCRETE BARRIER	10,520.00	FT
626-117A	R&R TEMP CONCRETE BARRIER	33,500.00	FT
626-118A	TEMPORARY CRASH CUSHION	6.00	EACH
626-119A	SDW VEH AND TMA OR TLR ATTENUATOR	2.00	EACH

626-120A	FLAGGER CONTROL	100.00	HR
626-121A	R&R TEMP CRASH CUSHION	9.00	EACH
626-135A	WEIGHTED BASE TUBULAR MARKERS	820.00	EACH
626-140A	SURFACE-MOUNTED TUBULAR MARKERS	160.00	EACH
630-010A	T,W,S,A PAVEMENT MARKINGS - PREF THERMO	2,430.00	SF
630-020A	LONG PAV MKG- PREFORMED THERMOPLASTIC	456.00	FT
630-025A	LONG PAV MKG - WATERBORNE	417,033.00	FT
640-010A	RIPRAP/EROSION CONTROL GEOTEXTILE	3,106.80	SY
640-015A	SUBGRADE SEPARATION GEOTEXTILE	90,230.00	SY
645-010A	C3 FIELD LAB - AGG, SOILS, SP 3 & SP 5	1.00	LS
656-010A	SIGNAL HOUSING	38.00	EACH
656-015A	INTERSECTION PREEMPTION DETECTION SYSTEM	1.00	EACH
656-020B	INT DETECTION SYSTEM - RADAR	1.00	EACH
656-030A	INTERSECTION SIGNAL STRUCTURE	1.00	EACH
656-035A	INTERSECTION PEDESTRIAN SYSTEM	1.00	EACH
656-050A	PED & TRAFF CNTL SIG HEAD FRANG POLES	6.00	EACH
656-070A	ADDITIONAL ELECTRICAL ITEMS	1.00	LS
657-015A	RRFB, AC POWERED	4.00	LS
675-005A	SURVEY	1.00	LS
675-010A	DIRECTED SURVEYING (20212)	2,500.00	CA
675-010A	DIRECTED SURVEYING (23956)	100,000.00	CA
676-015A	RECORD AND REESTABLISH PAV MARKINGS	1.00	LS
677-005A	RECORD DRAWINGS	1.00	LS
S501-17A	MSE RETAINING WALL	11,922.00	SF
S501-17B	MSE RETAINING WALL (WELDED WIRE WALL)	21,715.00	SF
S501-18A	COPING FOR MSE WALL	769.00	FT
S501-20A	SP BRIDGE DRILLED SHAFT (HIGH MAST LIGHTING)	24.00	EACH
S501-20B	SP BRIDGE DRILLED SHAFT (OVERHEAD SIGN)	7.00	EACH
S501-25A	SP BRIDGE UNDER DECK ILLUMINATION ATTACHMENT SYSTEM	1.00	LS
S501-25B	SP BRIDGE SIGNAL ATTACHMENT SYSTEM	1.00	LS
S501-25C	SP BRIDGE DRAIN PIPE SYSTEM	1.00	LS
S501-30B	SP BRIDGE CAST-IN-PLACE CONCRETE BARRIER TRANSITION	40.00	FT
S501-30C	SP BRIDGE CAST-IN-PLACE SPLIT BARRIER AT PIER	579.00	FT
S501-30E	SP BRIDGE MODULAR EXPANSION JOINT	62.00	FT
S501-30F	SP BRIDGE DRILLED SHAFT (BRIDGE PIERS)	468.00	FT
S501-40A	SP BRIDGE ROCK SLOPE ARMOR	71.00	CY
S501-55A	BRIDGE BEARINGS (PINNED DISC BEARING)	12.00	EACH
S501-55B	BRIDGE BEARINGS (UNDIRECTIONAL DISC BEARING)	32.00	EACH
S900-50A	CONTINGENCY AMOUNT WEED CONTROL	20,000.00	CA
S900-50B	CONTINGENCY AMOUNT SOIL AMENDMENTS	25,000.00	CA
S900-50D	CONTINGENCY AMOUNT WATERING	25,000.00	CA
S900-50F	CONTINGENCY AMOUNT DRILLED SHAFT - REMOVAL OF OBSTRUCTIONS	40,000.00	CA
S900-50J	CONTINGENCY AMOUNT - DRILLED SHAFT - REMOVAL OF OBSTRUCTION (BRIDGE PIERS)	80,000.00	CA
S901-05A	SP CAST-IN-PLACE CONCRETE BARRIER DUAL END	1.00	EACH
S901-05C	SP FIBER TERMINATION	24.00	EACH
S901-05D	SP TEST FIBER OPTIC CABLE	24.00	EACH
S901-05G	SP CAST-IN-PLACE CONCRETE BARRIER TRANSITION	2.00	EACH

S901-05I	SP OVERHEAD SIGN REMOVAL AND INSTALL	10.00	EACH
S901-05O	SP SLOPE ANCHORS	4.00	EACH
S901-05S	SP ADJUST TY 8 INLET	1.00	EACH
S901-05T	SP PIPE TO CONCRETE DITCH CONNECTION	1.00	EACH
S901-06A	SP CATCH BASIN 36" VANE GRATE	41.00	EACH
S901-06L	SP DITCH BERM	3.00	EACH
S901-07A	SP DITCH INLET	1.00	EACH
S904-05A	SP ILLUMINATION (HIGH MAST)	1.00	LS
S904-05B	SP ILLUMINATION (UNDERDECK)	1.00	LS
S904-05C	SP AUTOMATIC TRAFFIC RECORDER (SH-16)	1.00	LS
S904-05D	SP CCTV VIDEO SYSTEM (FRANKLIN RD)	1.00	LS
S904-05E	SP FAA AND AIRPORT COORDINATION	1.00	LS
S904-05P	SP DEWATERING	1.00	LS
S904-05R	SP SETTLEMENT MONITORING	1.00	LS
S911-05A	SP CONDUIT (2")	90.00	FT
S911-05B	SP 12-FIBER CABLE	270.00	FT
S911-05E	SP RIPRAP LINED V-DITCH	632.50	FT
S911-05J	SP REMOVE AND RESET 18" STORM SEWER PIPE	122.00	FT
S911-05K	SP REMOVE CONCRETE DITCH	70.00	FT
S911-05L	SP REM OF PIPE	1,500.00	FT
S911-05P	SP JACKING OF 18" PIPE	90.00	FT
S911-05S	SP ORANGE SAFETY FENCING	500.00	FT
S911-06A	SP CLEAN AND INSPECT PIPE	220.00	FT
S912-05A	SP GRAVEL REPAIR	551.00	SY
S912-05E	SP MEDIAN CONCRETE	32.00	SY
S912-05F	SP PATTERNED CONCRETE	2,548.00	SY
S912-05H	SP SLOPE PAVING	202.00	SY
S914-05A	SP STONE MATRIX ASPHALT	15,400.00	TON
S916-05A	SP TRAFFIC CONTROL SUPERVISOR	24.00	DAY
Z629-05A	MOBILIZATION	1.00	LS