

Idaho Transportation Department
Percent of MADT At Continuous Count Speed Sites

Site ID: 002240 352.820

Scheme ID: 6

Location: #012 US-26 4.4 Mi. E. of Ririe

County: BONNEVILLE

Axle Factor Group: 5

Growth Factor Group: 2

Seasonal Factor Group: 8

FHWA Functional Class: 2

Speed Limit: 65

| SPEED | 1999 Traffic Year | | | | | | | | | | | | |
|----------|-------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Avg |
| 0>-30 | 0.4 | 0.7 | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.8 | 0.3 | 1.1 | 0.4 |
| 30>-35 | 0.4 | 0.5 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.2 | 0.1 | 1.4 | 0.3 |
| 35>-40 | 1.4 | 1.5 | 0.1 | 0.2 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 | 0.3 | 0.2 | 2.9 | 0.6 |
| 40>-45 | 3.1 | 2.9 | 0.3 | 0.4 | 0.4 | 0.8 | 0.3 | 0.3 | 0.5 | 0.5 | 0.4 | 5.4 | 1.3 |
| 45>-50 | 5.8 | 4.7 | 0.9 | 1.0 | 1.1 | 1.4 | 1.1 | 1.0 | 1.4 | 1.1 | 1.1 | 8.1 | 2.4 |
| 50>-55 | 9.0 | 8.4 | 2.9 | 3.1 | 3.8 | 4.3 | 4.0 | 4.1 | 4.0 | 3.7 | 3.5 | 10.7 | 5.1 |
| 55>-60 | 14.2 | 14.8 | 8.9 | 9.0 | 10.4 | 11.7 | 12.4 | 12.0 | 10.7 | 10.4 | 10.2 | 14.8 | 11.6 |
| 60>-65 | 23.8 | 25.8 | 28.7 | 28.9 | 30.9 | 33.2 | 33.4 | 31.2 | 31.2 | 27.1 | 25.5 | 19.8 | 28.3 |
| 65>-70 | 28.7 | 28.4 | 38.2 | 38.2 | 35.6 | 33.6 | 34.2 | 35.1 | 34.4 | 36.9 | 39.2 | 24.1 | 33.9 |
| 70>-75 | 10.2 | 9.6 | 15.4 | 15.0 | 13.7 | 11.4 | 11.1 | 12.4 | 13.5 | 14.9 | 14.6 | 8.3 | 12.5 |
| 75>-80 | 2.1 | 1.9 | 2.9 | 2.8 | 2.4 | 2.1 | 2.3 | 2.4 | 2.7 | 2.8 | 3.4 | 2.3 | 2.5 |
| 80>-85 | 0.7 | 0.6 | 0.9 | 0.8 | 0.6 | 0.5 | 0.6 | 0.7 | 0.7 | 0.9 | 1.0 | 0.7 | 0.7 |
| 85>-140 | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 |
| AVG SPD | 61.8 | 61.7 | 65.7 | 65.5 | 64.9 | 64.3 | 64.5 | 64.7 | 64.8 | 64.9 | 65.5 | 59.3 | 64.0 |
| 50% SPD | 63.3 | 63.2 | 66.0 | 65.9 | 65.4 | 64.7 | 64.8 | 65.1 | 65.2 | 65.8 | 66.1 | 61.4 | 65.0 |
| 85% SPD | 69.7 | 69.5 | 71.5 | 71.3 | 70.8 | 69.9 | 69.9 | 70.3 | 70.8 | 71.3 | 71.5 | 69.3 | 70.4 |
| %EXCD 55 | 79.9 | 81.3 | 95.4 | 95.0 | 94.0 | 92.8 | 94.2 | 94.1 | 93.5 | 93.4 | 94.4 | 70.2 | 89.9 |
| %EXCD 60 | 65.7 | 66.5 | 86.5 | 86.0 | 83.6 | 81.1 | 81.8 | 82.1 | 82.8 | 83.0 | 84.2 | 55.4 | 78.2 |
| %EXCD 65 | 41.9 | 40.7 | 57.8 | 57.1 | 52.7 | 47.9 | 48.4 | 50.9 | 51.6 | 55.8 | 58.6 | 35.6 | 49.9 |
| %EXCD 70 | 13.2 | 12.3 | 19.6 | 19.0 | 17.1 | 14.3 | 14.2 | 15.8 | 17.1 | 18.9 | 19.4 | 11.6 | 16.0 |
| %EXCD 75 | 3.0 | 2.8 | 4.2 | 3.9 | 3.4 | 2.9 | 3.1 | 3.4 | 3.7 | 4.0 | 4.9 | 3.2 | 3.5 |
| %EXCD 80 | 0.9 | 0.9 | 1.3 | 1.1 | 1.0 | 0.8 | 0.8 | 1.0 | 1.0 | 1.2 | 1.5 | 0.9 | 1.0 |
| %EXCD 85 | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 |
| | 1,730 | 1,794 | 2,296 | 2,395 | 3,154 | 4,180 | 5,308 | 5,147 | 4,275 | 3,352 | 2,673 | 2,192 | |