

Idaho Transportation Department

Monthly WIM Distribution for Feb-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	13	5,078	1,936	27	147	61	7	191	1,245	138	50	39	201	0
	Flex	.21	.00	.00	.56	.24	.24	.52	.12	.77	.55	1.33	.93	1.00	0.00
	Rigid	.44	.01	.00	.74	.24	.39	1.27	.14	1.43	1.32	1.29	1.13	1.64	0.00
	GVW	15.7	2.3	3.3	32.0	16.9	26.2	56.0	20.9	58.5	76.5	58.3	64.7	83.0	0.0
N	Num	6	2,573	970	13	76	31	5	98	584	70	25	20	99	0
	Flex	.33	.01	.00	.69	.22	.23	.54	.13	.91	.59	.98	.62	1.06	0.00
	Rigid	.71	.01	.00	.91	.22	.37	1.37	.15	1.71	1.44	.96	.82	1.70	0.00
	GVW	17.7	2.3	3.4	32.6	16.6	25.6	55.7	21.0	60.9	78.2	52.5	59.0	80.5	0.0
S	Num	8	2,505	966	14	71	30	3	94	661	68	24	20	103	0
	Flex	.15	.00	.00	.43	.26	.26	.47	.12	.65	.51	1.70	1.22	.95	0.00
	Rigid	.31	.00	.00	.55	.26	.42	1.01	.14	1.17	1.21	1.65	1.41	1.57	0.00
	GVW	14.3	2.2	3.2	31.0	17.3	26.9	54.1	21.0	56.4	74.9	64.4	70.0	85.7	0.0
N Lane1	Num	5	1,737	715	12	68	26	5	85	561	66	25	19	94	0
	Flex	.41	.01	.00	.77	.24	.23	.53	.14	.92	.60	.99	.63	1.07	0.00
	Rigid	.90	.01	.00	1.02	.23	.36	1.35	.16	1.73	1.47	.97	.83	1.73	0.00
	GVW	19.7	2.5	3.5	33.6	17.0	25.1	55.7	21.6	61.1	78.9	52.6	59.1	80.9	0.0
N Lane2	Num	1	836	256	2	8	6	1	12	23	5	2	1	4	0
	Flex	.09	.00	.00	.36	.08	.24	.81	.05	.72	.38	.52	.44	.68	0.00
	Rigid	.19	.00	.00	.49	.08	.41	1.85	.06	1.32	.94	.49	.55	1.07	0.00
	GVW	9.7	1.9	3.0	28.5	12.7	28.7	52.8	16.5	56.4	65.6	45.9	56.0	72.5	0.0
S Lane1	Num	7	1,782	741	13	64	26	3	82	636	66	24	19	100	0
	Flex	.16	.00	.00	.44	.29	.26	.48	.13	.66	.51	1.70	1.21	.96	0.00
	Rigid	.34	.00	.00	.57	.28	.42	1.03	.15	1.19	1.22	1.65	1.39	1.58	0.00
	GVW	14.9	2.4	3.3	31.5	18.0	27.1	54.9	21.5	56.6	75.2	64.5	70.2	86.0	0.0

Idaho Transportation Department

Monthly WIM Distribution for Feb-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
S	Num	2	724	224	2	8	4	1	11	25	3	1	1	3	0
Lane2	Flex	.01	.00	.00	.37	.08	.27	.10	.05	.51	.38	1.48	1.70	.77	0.00
	Rigid	.02	.00	.00	.46	.07	.49	.22	.08	.90	.89	1.45	2.04	1.28	0.00
	GVW	6.3	1.8	2.9	26.4	12.2	26.4	34.1	17.1	50.2	62.5	57.3	60.1	76.0	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

Idaho Transportation Department

Monthly WIM Distribution for Feb-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		UNCLS
N Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9