

Idaho Transportation Department

Monthly WIM Distribution for Mar-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	10	5,986	2,313	31	174	56	7	238	1,339	141	54	45	200	0
	Flex	.19	.00	.00	.52	.27	.24	.49	.14	.78	.56	1.53	.93	.94	0.00
	Rigid	.41	.00	.00	.70	.27	.38	1.14	.16	1.44	1.36	1.49	1.11	1.52	0.00
	GVW	16.1	2.1	3.4	32.5	17.5	26.5	56.4	20.9	58.7	77.4	60.2	64.2	82.3	0.0
N	Num	4	2,964	1,132	14	83	28	5	108	622	73	28	23	100	0
	Flex	.22	.01	.00	.59	.21	.24	.43	.15	.89	.62	1.13	.57	.87	0.00
	Rigid	.48	.01	.00	.77	.21	.37	1.07	.17	1.68	1.54	1.10	.74	1.36	0.00
	GVW	16.8	2.2	3.4	32.2	16.6	25.9	53.6	20.9	60.5	81.7	54.6	56.9	76.8	0.0
S	Num	6	3,022	1,181	17	91	28	3	131	717	68	26	23	100	0
	Flex	.14	.00	.00	.46	.32	.25	.55	.13	.68	.51	1.93	1.29	1.03	0.00
	Rigid	.30	.00	.00	.62	.32	.39	1.16	.15	1.24	1.18	1.89	1.49	1.70	0.00
	GVW	14.6	2.1	3.4	32.4	18.3	27.1	58.6	20.9	57.1	72.7	66.1	71.5	88.2	0.0
N Lane1	Num	4	1,922	811	13	73	24	5	93	597	70	27	22	96	0
	Flex	.25	.01	.00	.60	.23	.25	.46	.16	.90	.63	1.12	.58	.88	0.00
	Rigid	.52	.01	.00	.79	.23	.39	1.16	.19	1.69	1.57	1.10	.75	1.37	0.00
	GVW	17.9	2.3	3.5	32.4	17.0	25.9	55.3	21.5	60.6	82.1	54.6	57.3	77.1	0.0
N Lane2	Num	1	1,042	321	2	10	5	1	15	26	4	3	2	4	0
	Flex	.07	.00	.00	.53	.10	.18	.35	.07	.81	.32	1.33	.28	.67	0.00
	Rigid	.15	.00	.00	.67	.10	.30	.75	.08	1.52	.86	1.31	.43	1.02	0.00
	GVW	10.6	1.9	3.2	30.0	13.4	26.0	47.6	16.8	57.8	72.7	55.4	47.6	70.3	0.0
S Lane1	Num	6	2,022	861	15	81	23	3	115	683	65	25	22	96	0
	Flex	.16	.00	.00	.46	.35	.25	.54	.14	.69	.51	1.91	1.32	1.03	0.00
	Rigid	.33	.00	.00	.61	.34	.39	1.12	.17	1.25	1.20	1.87	1.52	1.70	0.00
	GVW	15.7	2.2	3.5	32.5	19.0	27.4	58.0	21.5	57.4	73.2	66.1	72.0	88.7	0.0

Idaho Transportation Department

Monthly WIM Distribution for Mar-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
S	Num	1	999	320	3	9	6	1	16	34	4	2	2	4	0
Lane2	Flex	.00	.00	.00	.34	.11	.23	1.42	.04	.55	.41	2.30	.74	.76	0.00
	Rigid	.00	.00	.00	.48	.11	.43	3.64	.05	.95	.94	2.29	.86	1.31	0.00
	GVW	4.5	1.8	3.0	28.7	13.0	25.4	97.8	16.2	50.8	63.3	66.6	60.7	74.1	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

Idaho Transportation Department

Monthly WIM Distribution for Mar-2023

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp: 6
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		UNCLS
N Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9