

Idaho Transportation Department

Monthly WIM Distribution for Mar-2025

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	11	6,195	2,530	33	169	42	3	256	1,377	193	30	48	277	0
	Flex	.34	.00	.00	.66	.33	.26	.50	.12	.79	.64	1.44	.97	1.10	0.00
	Rigid	.72	.00	.00	.82	.33	.40	1.14	.14	1.46	1.58	1.41	1.10	1.76	0.00
	GVW	19.4	2.5	4.1	32.2	18.7	27.6	52.4	20.8	58.4	80.2	58.7	65.1	85.8	0.0
N	Num	8	3,024	1,247	15	80	20	2	117	645	95	15	23	135	0
	Flex	.47	.00	.00	.64	.27	.27	.54	.13	.92	.70	1.02	.66	1.16	0.00
	Rigid	1.00	.00	.00	.83	.26	.43	1.23	.15	1.75	1.80	1.00	.75	1.79	0.00
	GVW	23.5	2.7	4.2	31.6	17.6	27.8	55.8	20.5	60.7	85.3	52.5	59.1	84.1	0.0
S	Num	4	3,171	1,283	18	89	22	2	139	731	98	16	25	142	0
	Flex	.12	.00	.00	.68	.38	.24	.39	.12	.68	.58	1.79	1.25	1.05	0.00
	Rigid	.26	.00	.00	.81	.38	.37	.86	.13	1.20	1.36	1.74	1.42	1.75	0.00
	GVW	12.0	2.3	4.0	32.8	19.7	27.5	47.4	21.1	56.3	75.4	64.2	70.3	87.5	0.0
N Lane1	Num	6	1,827	859	13	72	19	2	98	619	91	15	22	129	0
	Flex	.52	.01	.00	.65	.28	.27	.54	.14	.91	.70	1.04	.67	1.15	0.00
	Rigid	1.11	.01	.00	.85	.28	.43	1.23	.16	1.73	1.80	1.01	.75	1.77	0.00
	GVW	25.8	2.5	4.1	31.9	18.0	27.9	55.8	20.8	60.8	85.4	52.8	59.4	84.2	0.0
N Lane2	Num	2	1,197	388	2	8	2	0	19	26	4	1	2	6	0
	Flex	.03	.00	.00	.47	.16	.28	0.00	.09	1.20	.77	.39	.53	1.19	0.00
	Rigid	.06	.00	.00	.58	.15	.46	0.00	.11	2.35	2.07	.37	.63	2.04	0.00
	GVW	5.0	3.0	4.4	25.9	14.4	27.2	0.0	18.5	59.0	81.7	42.1	51.9	81.5	0.0
S Lane1	Num	3	2,093	919	17	77	21	2	118	698	93	15	24	136	0
	Flex	.14	.00	.00	.70	.42	.25	.39	.13	.68	.58	1.81	1.25	1.05	0.00
	Rigid	.29	.00	.00	.83	.41	.37	.86	.14	1.22	1.37	1.76	1.42	1.76	0.00
	GVW	13.6	2.4	4.2	33.3	20.6	27.6	47.4	21.7	56.7	76.0	64.7	70.6	88.0	0.0

Idaho Transportation Department

Monthly WIM Distribution for Mar-2025

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
S	Num	1	1,078	365	2	11	2	0	21	34	5	1	1	6	0
Lane2	Flex	.03	.00	.00	.38	.17	.24	0.00	.06	.53	.51	1.50	.94	.99	0.00
	Rigid	.05	.00	.00	.45	.18	.39	0.00	.07	.93	1.17	1.50	1.05	1.63	0.00
	GVW	5.4	2.2	3.5	25.2	13.4	26.8	0.0	17.2	47.5	63.0	51.0	58.6	77.5	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Idaho Transportation Department

Monthly WIM Distribution for Mar-2025

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		UNCLS
N Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

Created 04/06/2025 2:16 PM