

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	40	8,646	3,660	60	288	49	4	472	1,413	195	16	42	330	0
	Flex	.04	.00	.00	.53	.31	.25	.34	.07	.63	.55	1.10	.81	.99	0.00
	Rigid	.08	.00	.00	.70	.30	.37	.64	.08	1.12	1.32	1.06	.93	1.54	0.00
	GVW	4.2	2.6	4.4	32.5	18.6	27.9	44.6	18.6	55.7	77.5	54.6	61.6	85.6	0.0
N	Num	24	4,165	1,773	27	138	27	3	221	667	97	8	19	159	0
	Flex	.04	.00	.00	.45	.25	.23	.35	.08	.57	.53	.84	.45	.80	0.00
	Rigid	.08	.00	.00	.60	.24	.33	.70	.09	1.02	1.31	.81	.52	1.19	0.00
	GVW	3.8	2.8	4.5	31.5	18.0	27.5	50.0	19.1	54.6	80.2	50.5	53.5	78.2	0.0
S	Num	16	4,481	1,887	33	149	23	2	251	746	97	8	23	171	0
	Flex	.04	.00	.00	.59	.36	.28	.46	.07	.68	.58	1.38	1.13	1.18	0.00
	Rigid	.09	.00	.00	.78	.36	.42	.89	.08	1.21	1.34	1.33	1.30	1.88	0.00
	GVW	4.8	2.4	4.2	33.4	19.0	28.3	49.8	18.3	56.8	74.6	59.0	68.7	92.7	0.0
N Lane1	Num	16	2,276	1,152	23	125	25	3	182	635	92	8	18	153	0
	Flex	.05	.00	.00	.46	.26	.23	.37	.08	.58	.54	.86	.46	.81	0.00
	Rigid	.11	.00	.00	.62	.25	.34	.74	.09	1.04	1.34	.83	.53	1.21	0.00
	GVW	4.7	2.6	4.5	31.4	18.3	27.7	53.1	19.3	54.9	80.8	50.9	54.2	78.6	0.0
N Lane2	Num	8	1,889	621	4	14	2	1	39	32	5	1	1	6	0
	Flex	.00	.00	.00	.33	.15	.21	.06	.07	.44	.32	.24	.23	.47	0.00
	Rigid	.01	.00	.00	.48	.14	.30	.10	.07	.76	.76	.23	.26	.75	0.00
	GVW	1.6	3.0	4.5	30.7	15.5	26.7	20.4	18.2	49.1	68.8	34.9	37.7	68.5	0.0
S Lane1	Num	10	2,718	1,275	30	131	21	2	208	710	92	8	22	164	0
	Flex	.07	.00	.00	.61	.40	.29	.46	.08	.69	.59	1.40	1.14	1.18	0.00
	Rigid	.15	.00	.00	.80	.39	.43	.89	.09	1.22	1.36	1.35	1.31	1.89	0.00
	GVW	6.7	2.4	4.5	33.8	20.0	28.6	49.8	18.7	57.2	75.3	60.4	69.2	93.1	0.0

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00079
 County: Bannock
 Funct Class: R Principal Arterial - Interstate
 Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
 Daily Factor Grp: 6
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
S	Num	6	1,763	611	3	19	2	0	43	37	5	1	2	7	0
Lane2	Flex	.00	.00	.00	.43	.11	.25	0.00	.06	.51	.36	1.19	.45	1.09	0.00
	Rigid	.01	.00	.00	.61	.11	.39	0.00	.06	.86	.81	1.20	.55	1.71	0.00
	GVW	2.0	2.3	3.6	30.5	12.2	25.7	0.0	16.0	47.5	62.3	35.6	49.4	82.2	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
N	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00079
County: Bannock
Funct Class: R Principal Arterial - Interstate
Location: I-15 .78 Mi. S of Jct SH-40 (SB)

Seasonal Factor Grp:
Daily Factor Grp: 6
Axle Factor Grp: All_Class_Sites
Growth Factor Grp:

		UNCLS
N Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
S Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

Created 07/08/2025 7:36 AM