

# Idaho Transportation Department

## Monthly WIM Distribution for May-2023

Site names: 00093  
 County: Power  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 4  
 Axle Factor Grp: All\_Class\_Sites  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	9	5,039	1,443	29	148	52	25	229	995	293	23	22	234	0
	Flex	.08	.00	.00	.54	.32	.22	.71	.14	.83	.56	1.46	.68	1.10	0.00
	Rigid	.18	.01	.00	.74	.32	.36	1.71	.17	1.48	1.40	1.45	1.17	1.66	0.00
	GVW	11.4	4.3	4.5	33.6	17.7	27.1	69.0	21.7	57.6	77.2	55.4	58.3	78.2	0.0
E	Num	2	2,216	1,033	12	77	21	7	141	541	138	12	12	122	0
	Flex	.16	.00	.00	.68	.39	.24	.84	.15	1.02	.65	1.89	.98	.96	0.00
	Rigid	.35	.00	.00	.98	.39	.39	2.09	.18	1.86	1.64	1.86	1.70	1.56	0.00
	GVW	17.8	2.8	4.8	39.5	19.4	28.6	72.6	21.9	62.8	78.4	64.0	68.2	74.2	0.0
W	Num	7	2,823	410	17	71	30	18	88	455	155	11	10	112	0
	Flex	.06	.01	.00	.44	.24	.21	.67	.13	.60	.48	.98	.29	1.23	0.00
	Rigid	.12	.01	.00	.57	.24	.33	1.60	.16	1.03	1.18	1.00	.45	1.76	0.00
	GVW	9.4	5.4	4.0	29.5	15.7	25.7	67.5	21.6	51.4	75.9	45.9	45.1	82.6	0.0
E Lane1	Num	2	1,521	821	12	67	20	7	125	523	133	12	11	117	0
	Flex	.17	.00	.00	.73	.43	.24	.83	.16	1.03	.66	1.89	.98	.97	0.00
	Rigid	.37	.00	.00	1.05	.43	.40	2.08	.19	1.88	1.66	1.86	1.71	1.58	0.00
	GVW	18.5	2.9	5.0	41.0	20.5	29.1	72.5	22.5	63.2	78.8	64.0	68.4	74.6	0.0
E Lane2	Num	1	696	212	1	10	2	1	16	18	5	1	1	5	0
	Flex	.02	.00	.00	.32	.09	.14	1.58	.06	.68	.34	.70	.46	.52	0.00
	Rigid	.04	.00	.00	.40	.09	.24	4.16	.06	1.21	.83	.65	.87	.87	0.00
	GVW	9.1	2.4	3.9	27.8	12.5	21.3	102.1	17.0	51.4	67.1	55.4	53.7	63.5	0.0
W Lane1	Num	7	2,098	280	16	66	29	18	78	439	151	11	10	108	0
	Flex	.06	.01	.01	.46	.26	.22	.68	.14	.61	.49	.98	.30	1.25	0.00
	Rigid	.13	.01	.01	.60	.26	.34	1.61	.18	1.05	1.19	1.00	.46	1.78	0.00
	GVW	10.1	6.6	4.6	30.2	16.1	26.1	67.9	22.5	51.7	76.2	45.9	45.5	83.0	0.0

# Idaho Transportation Department

## Monthly WIM Distribution for May-2023

Site names: 00093  
 County: Power  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 4  
 Axle Factor Grp: All\_Class\_Sites  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
W	Num	1	724	130	1	5	2	1	10	16	5	1	1	4	0
Lane2	Flex	.00	.00	.00	.12	.05	.09	.62	.03	.36	.28	.62	.15	.64	0.00
	Rigid	.00	.00	.00	.17	.05	.14	1.65	.04	.62	.70	.59	.21	.95	0.00
	GVW	2.8	2.0	2.6	21.6	10.8	18.9	52.0	14.3	44.2	65.7	45.0	33.5	67.4	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

# Idaho Transportation Department

## Monthly WIM Distribution for May-2023

Site names: 00093  
 County: Power  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 4  
 Axle Factor Grp: All\_Class\_Sites  
 Growth Factor Grp:

		UNCLS
E Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9