

Idaho Transportation Department

Monthly WIM Distribution for May-2024

Site names: 00093
 County: Power
 Funct Class: R Principal Arterial - Interstate
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3
 Daily Factor Grp: 4
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	17	4,371	1,790	35	160	60	6	258	985	355	8	18	256	0
	Flex	.07	.00	.00	.52	.27	.21	.47	.09	.75	.50	1.04	.57	1.10	0.00
	Rigid	.15	.00	.00	.67	.27	.32	.88	.10	1.34	1.25	1.01	.73	1.61	0.00
	GVW	10.9	2.4	3.7	31.7	16.6	25.1	46.7	18.6	55.9	75.1	50.9	52.2	76.6	0.0
E	Num	9	2,114	999	18	79	30	2	138	531	157	4	11	129	0
	Flex	.10	.00	.00	.57	.35	.21	.47	.11	.95	.55	1.35	.68	.90	0.00
	Rigid	.21	.00	.00	.77	.34	.33	.82	.13	1.73	1.37	1.32	.89	1.38	0.00
	GVW	13.6	2.6	4.5	35.9	18.6	26.8	46.1	20.7	61.7	74.4	56.8	58.3	72.2	0.0
W	Num	9	2,257	791	17	81	30	4	120	454	199	4	7	127	0
	Flex	.05	.00	.00	.48	.20	.22	.40	.06	.53	.47	.68	.36	1.31	0.00
	Rigid	.10	.00	.00	.56	.20	.32	.76	.07	.89	1.14	.65	.46	1.83	0.00
	GVW	8.6	2.3	2.7	27.2	14.6	23.5	44.6	16.3	49.3	75.5	44.5	42.8	81.0	0.0
E Lane1	Num	8	1,437	798	16	68	28	2	122	514	150	4	10	123	0
	Flex	.11	.00	.00	.59	.39	.22	.51	.12	.97	.56	1.53	.69	.92	0.00
	Rigid	.24	.00	.00	.81	.39	.35	.89	.14	1.75	1.41	1.49	.89	1.41	0.00
	GVW	14.5	2.8	4.8	37.0	19.9	27.6	48.4	21.5	62.2	75.2	60.4	58.7	72.9	0.0
E Lane2	Num	2	677	201	2	11	3	1	16	18	7	1	1	6	0
	Flex	.00	.00	.00	.21	.05	.05	.07	.04	.69	.19	.12	.34	.57	0.00
	Rigid	.01	.00	.00	.26	.04	.08	.19	.04	1.26	.44	.12	.69	1.06	0.00
	GVW	7.0	2.1	3.4	21.5	10.3	17.1	32.9	14.7	45.5	50.0	33.7	51.2	60.9	0.0
W Lane1	Num	8	1,574	647	16	75	28	4	110	437	189	4	6	122	0
	Flex	.05	.00	.00	.50	.21	.23	.42	.07	.54	.48	.72	.37	1.34	0.00
	Rigid	.11	.00	.00	.59	.21	.34	.80	.08	.92	1.18	.70	.46	1.88	0.00
	GVW	9.2	2.6	2.9	28.0	15.1	24.2	45.8	16.8	49.9	76.6	46.1	42.8	82.1	0.0

Idaho Transportation Department

Monthly WIM Distribution for May-2024

Site names: 00093

County: Power

Funct Class: R Principal Arterial - Interstate

Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3

Daily Factor Grp: 4

Axle Factor Grp: All_Class_Sites

Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
W Lane2	Num	1	683	144	2	6	3	1	10	17	10	1	2	5	0
	Flex	.00	.00	.00	.14	.03	.03	.03	.02	.18	.15	.05	.21	.28	0.00
	Rigid	.00	.00	.00	.20	.03	.05	.11	.02	.32	.39	.05	.30	.45	0.00
	GVW	3.9	1.5	2.0	22.1	8.0	15.1	24.1	10.6	33.9	53.1	23.4	38.4	54.5	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALS are calculated using Servicability=2.5, SN=5. Rigid ESALS use Servicability=2.5, Depth=9

Idaho Transportation Department

Monthly WIM Distribution for May-2024

Site names: 00093
County: Power
Funct Class: R Principal Arterial - Interstate
Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3
Daily Factor Grp: 4
Axle Factor Grp: All_Class_Sites
Growth Factor Grp:

		UNCLS
E Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALS are calculated using Servicability=2.5, SN=5. Rigid ESALS use Servicability=2.5, Depth=9

Created 06/11/2024 9:01 AM