

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00093
 County: Power
 Funct Class: R Principal Arterial - Interstate
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3
 Daily Factor Grp: 4
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	11	4,714	2,337	35	217	45	5	373	1,047	354	7	12	202	0
	Flex	.13	.00	.00	.63	.27	.24	.43	.08	.70	.45	.81	.48	.85	0.00
	Rigid	.27	.00	.00	.80	.26	.35	.84	.09	1.24	1.14	.78	.58	1.35	0.00
	GVW	9.8	2.3	3.8	33.8	16.7	26.7	45.7	18.0	54.5	74.5	46.9	51.5	75.4	0.0
E	Num	5	2,470	1,275	19	109	22	2	196	562	156	4	8	97	0
	Flex	.24	.00	.00	.76	.35	.26	.63	.11	.89	.54	1.20	.59	.85	0.00
	Rigid	.51	.00	.00	.99	.34	.39	1.10	.12	1.61	1.39	1.17	.69	1.44	0.00
	GVW	13.4	2.7	4.7	37.5	18.5	28.2	52.5	20.2	60.2	76.3	56.0	55.9	76.2	0.0
W	Num	6	2,244	1,063	15	108	23	4	178	485	198	3	5	104	0
	Flex	.04	.00	.00	.46	.18	.22	.40	.06	.48	.38	.38	.40	.84	0.00
	Rigid	.08	.00	.00	.56	.18	.32	.79	.06	.81	.94	.37	.51	1.26	0.00
	GVW	7.0	1.8	2.8	28.8	14.8	25.2	44.5	15.6	47.9	72.7	37.1	47.0	74.7	0.0
E Lane1	Num	3	1,617	975	18	94	21	2	171	542	149	4	8	93	0
	Flex	.23	.00	.00	.78	.39	.26	.64	.12	.90	.55	1.24	.60	.87	0.00
	Rigid	.49	.00	.00	1.03	.39	.39	1.12	.13	1.63	1.40	1.20	.69	1.49	0.00
	GVW	17.0	2.9	4.9	38.2	19.6	28.4	52.8	20.8	60.6	76.8	56.5	56.0	77.2	0.0
E Lane2	Num	2	853	300	2	15	2	1	25	21	7	1	1	4	0
	Flex	.14	.00	.00	.28	.08	.13	.06	.05	.60	.44	.45	.59	.38	0.00
	Rigid	.34	.00	.00	.40	.08	.21	.21	.05	1.09	1.04	.42	.70	.63	0.00
	GVW	3.8	2.5	4.0	25.2	11.7	21.2	34.9	16.5	49.2	62.9	45.7	47.6	57.7	0.0
W Lane1	Num	5	1,580	890	14	99	22	3	162	468	192	3	5	101	0
	Flex	.05	.00	.00	.43	.19	.23	.41	.05	.48	.38	.40	.36	.85	0.00
	Rigid	.10	.00	.00	.53	.18	.32	.82	.06	.81	.94	.38	.46	1.27	0.00
	GVW	7.9	1.6	2.8	29.3	15.1	25.6	46.0	15.7	48.0	73.0	38.6	46.2	75.2	0.0

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00093
 County: Power
 Funct Class: R Principal Arterial - Interstate
 Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3
 Daily Factor Grp: 4
 Axle Factor Grp: All_Class_Sites
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
W	Num	2	664	172	2	9	2	1	16	17	7	1	1	4	0
Lane2	Flex	.00	.00	.00	.94	.11	.11	.03	.10	.50	.33	.20	.75	.72	0.00
	Rigid	.00	.00	.00	1.15	.11	.17	.10	.13	.94	.92	.19	.96	1.22	0.00
	GVW	2.8	2.2	3.1	24.8	10.8	18.3	23.3	15.3	43.2	60.9	23.2	48.9	63.4	0.0

		UNCLS
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
W	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
E	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Idaho Transportation Department

Monthly WIM Distribution for Jun-2025

Site names: 00093
County: Power
Funct Class: R Principal Arterial - Interstate
Location: I-86 4.4 Mi. E of Coldwater IC

Seasonal Factor Grp: 3
Daily Factor Grp: 4
Axle Factor Grp: All_Class_Sites
Growth Factor Grp:

UNCLS	
E	Num
Lane2	Flex
	Rigid
	GVW
W	Num
Lane1	Flex
	Rigid
	GVW
W	Num
Lane2	Flex
	Rigid
	GVW

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9