

Monthly WIM Distribution for 05/2011

Site Names: 00117, Cotterel WIM
 County: Cassia (16)
 Funct. Class: R Principal Arterial - Interstate
 Location: I-84 3.7 Mi. SE of Jct SH-81

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCAL	UNCLS
Roadway	Num	9	2,655	1,214	52	394	30	3	30	2,061	112	36	36	238	217	0
	Flex	0.01	0.00	0.00	1.24	0.22	0.50	3.20	0.62	2.35	1.81	2.41	1.72	2.72	0.44	0.00
	Rigid	0.01	0.00	0.00	1.59	0.23	0.82	6.99	0.80	3.97	3.74	2.43	2.02	3.47	0.62	0.00
	GVW	4.6	3.7	6.0	29.8	18.4	27.8	62.9	31.6	70.8	83.0	65.1	70.7	89.7	27.6	0.0
NW DIR	Num	3	1,366	550	28	290	13	1	20	1,154	62	19	22	122	82	0
	Flex	0.01	0.00	0.00	1.78	0.22	0.71	7.44	0.80	2.93	2.28	3.56	2.38	4.14	0.80	0.00
	Rigid	0.01	0.00	0.00	2.28	0.24	1.21	16.22	1.04	5.02	4.67	3.62	2.84	5.22	1.14	0.00
	GVW	4.6	4.2	6.3	32.1	18.4	30.9	98.0	33.1	75.0	83.2	74.9	80.1	103.3	26.8	0.0
SE DIR	Num	6	1,289	664	24	105	18	2	11	907	50	17	14	116	135	0
	Flex	0.01	0.00	0.00	0.62	0.20	0.34	2.07	0.28	1.62	1.23	1.18	0.64	1.23	0.23	0.00
	Rigid	0.01	0.00	0.00	0.80	0.21	0.52	4.08	0.33	2.63	2.57	1.15	0.68	1.62	0.30	0.00
	GVW	4.8	3.2	5.7	27.6	18.5	25.1	62.0	28.2	65.5	82.4	55.0	55.4	75.1	28.1	0.0
NW 1	Num	2	883	333	26	283	12	1	19	1,138	61	18	22	119	76	0
	Flex	0.01	0.00	0.01	1.90	0.23	0.74	7.41	0.81	2.97	2.32	3.64	2.46	4.22	0.86	0.00
	Rigid	0.01	0.00	0.01	2.45	0.24	1.26	16.18	1.06	5.08	4.75	3.70	2.94	5.33	1.22	0.00
	GVW	5.4	4.8	7.5	33.0	18.4	31.6	95.0	33.2	75.5	84.0	75.7	81.7	104.3	28.2	0.0
NW 2	Num	1	483	217	2	7	0	0	0	16	1	0	1	3	6	0
	Flex	0.00	0.00	0.00	0.38	0.06	0.28	0.00	0.46	0.34	0.37	1.55	0.87	0.74	0.04	0.00
	Rigid	0.00	0.00	0.00	0.50	0.06	0.32	0.00	0.47	0.51	0.84	1.45	0.89	1.01	0.05	0.00
	GVW	4.8	3.0	4.4	26.6	15.8	62.5	0.0	55.2	41.3	51.5	129.8	100.2	62.7	7.9	0.0
SE 2	Num	1	434	202	2	6	1	0	1	40	2	1	2	12	9	0
	Flex	0.00	0.00	0.00	0.37	0.09	0.28	0.00	0.34	0.74	0.63	1.10	0.21	0.76	0.10	0.00
	Rigid	0.00	0.00	0.00	0.47	0.09	0.39	0.00	0.38	1.14	1.32	1.05	0.21	0.92	0.12	0.00
	GVW	7.6	3.0	4.4	25.6	16.2	31.2	0.0	38.2	52.7	69.8	69.6	45.2	66.3	13.8	0.0
SE 1	Num	5	855	461	22	99	16	1	10	868	48	16	12	104	126	0
	Flex	0.01	0.00	0.00	0.65	0.21	0.35	2.33	0.30	1.66	1.26	1.20	0.72	1.29	0.23	0.00
	Rigid	0.01	0.00	0.00	0.83	0.21	0.54	4.60	0.35	2.70	2.64	1.17	0.77	1.71	0.32	0.00
	GVW	4.8	3.3	6.2	27.7	18.6	25.4	70.7	29.0	66.1	83.2	54.7	57.8	76.4	29.0	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9