

# Idaho Transportation Department

## Monthly WIM Distribution for Feb-2015

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
Road	Num	18	9,037	3,680	91	477	81	8	63	2,497	279	98	73	239	0
	Flex	.00	.00	.00	.65	.14	.30	.32	.43	1.00	.60	1.68	1.06	1.18	0.00
	Rigid	.00	.00	.00	.75	.14	.46	.90	.49	1.88	1.46	1.65	1.18	1.92	0.00
	GVW	3.6	4.0	6.5	25.5	16.2	27.5	49.2	32.9	62.7	75.6	61.5	66.7	80.5	0.0
SE	Num	13	4,466	2,071	84	456	76	7	60	2,339	259	94	68	222	0
	Flex	.00	.00	.00	.70	.14	.32	.35	.45	1.06	.64	1.73	1.12	1.26	0.00
	Rigid	.00	.00	.00	.81	.14	.49	.97	.51	1.99	1.56	1.70	1.24	2.04	0.00
	GVW	4.2	4.7	7.5	26.2	16.3	28.1	50.8	33.6	64.3	78.1	62.3	68.4	82.8	0.0
NW	Num	5	4,571	1,609	8	21	5	3	3	157	20	4	5	17	0
	Flex	.00	.00	.00	.08	.03	.05	.05	.07	.13	.07	.23	.14	.13	0.00
	Rigid	.00	.00	.00	.09	.03	.06	.13	.07	.22	.15	.21	.15	.22	0.00
	GVW	2.4	3.3	5.3	17.6	13.7	17.0	32.1	21.3	38.3	42.7	39.6	40.4	48.7	0.0
NW Lane1	Num	3	2,293	829	4	11	2	3	2	74	10	2	2	8	0
	Flex	.00	.00	.00	.08	.03	.06	.05	.09	.14	.09	.25	.18	.15	0.00
	Rigid	.00	.00	.00	.10	.03	.08	.14	.09	.23	.20	.23	.19	.25	0.00
	GVW	3.1	3.3	5.4	18.5	13.6	17.9	32.7	22.8	38.3	46.0	40.0	44.5	50.0	0.0
NW Lane2	Num	2	2,277	780	4	10	3	1	2	83	10	2	3	9	0
	Flex	.00	.00	.00	.08	.03	.05	.01	.03	.12	.05	.18	.10	.12	0.00
	Rigid	.00	.00	.00	.09	.03	.05	.04	.04	.20	.11	.17	.11	.19	0.00
	GVW	1.1	3.2	5.1	17.2	13.7	16.9	25.5	18.3	37.9	39.0	38.3	36.4	47.5	0.0
SE Lane1	Num	10	2,006	934	38	201	46	1	27	1,026	106	41	28	90	0
	Flex	.00	.00	.00	.68	.15	.35	.42	.34	1.14	.53	1.42	1.01	1.19	0.00
	Rigid	.00	.00	.00	.79	.16	.49	1.35	.39	2.18	1.30	1.40	1.14	2.04	0.00
	GVW	4.8	4.7	7.4	25.7	16.3	30.0	52.7	30.7	65.5	71.9	58.1	64.1	82.8	0.0

# Idaho Transportation Department

## Monthly WIM Distribution for Feb-2015

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFFSCALE
SE	Num	3	2,460	1,137	46	255	30	6	33	1,314	153	54	41	133	0
lane2	Flex	.00	.00	.00	.72	.13	.28	.35	.56	1.00	.70	1.95	1.19	1.30	0.00
	Rigid	.00	.00	.00	.82	.14	.48	.96	.62	1.85	1.73	1.91	1.31	2.03	0.00
	GVW	2.6	4.7	7.5	26.5	16.4	25.3	51.4	35.9	63.2	82.0	65.2	71.0	82.8	0.0

		OFSC	UNCL	UNCLS
Road	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0
SE	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0
NW	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0
NW Lane1	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0

# Idaho Transportation Department

## Monthly WIM Distribution for Feb-2015

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		OFSC	UNCL	UNCLS
NW Lane2	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0
SE Lane1	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0
SE lane2	Num	0	0	0
	Flex	0.00	0.00	0.00
	Rigid	0.00	0.00	0.00
	GVW	0.0	0.0	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9