

# Idaho Transportation Department

## Monthly WIM Distribution for Nov-2019

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFSC
Road	Num	116	13,204	2,164	36	245	93	41	241	2,302	325	115	75	323	0
	Flex	1.01	.74	.73	5.56	3.54	3.59	5.48	3.58	8.33	5.99	18.38	15.69	8.29	0.00
	Rigid	2.02	.84	.81	9.11	4.14	6.17	9.13	4.62	17.33	15.20	21.71	23.35	14.77	0.00
	GVW	21.8	13.7	17.4	56.4	30.3	48.9	72.9	45.1	99.6	122.2	103.1	120.8	124.9	0.0
SE	Num	59	6,478	1,030	17	124	54	18	122	1,189	178	62	37	138	0
	Flex	.97	.41	.55	5.46	3.18	3.16	4.18	2.91	7.61	5.43	15.32	13.98	13.06	0.00
	Rigid	2.02	.46	.61	8.79	3.71	5.30	7.68	3.75	15.74	14.28	18.03	20.43	24.89	0.00
	GVW	22.4	11.4	16.5	56.5	29.1	45.5	69.4	41.5	95.1	119.1	95.0	114.6	138.6	0.0
NW	Num	57	6,726	1,134	19	122	39	25	119	1,113	151	53	38	185	0
	Flex	.99	1.06	.88	5.84	3.77	3.98	5.82	4.18	8.71	6.42	18.55	16.89	6.06	0.00
	Rigid	1.89	1.21	.99	9.76	4.42	7.04	9.57	5.43	18.21	15.50	21.97	25.72	10.19	0.00
	GVW	20.2	15.9	18.1	56.8	30.9	51.3	72.9	47.8	101.9	123.4	99.0	123.3	113.4	0.0
NW Lane1	Num	32	3,556	629	14	93	35	19	100	1,010	138	50	34	176	0
	Flex	1.70	1.92	1.51	7.68	4.78	4.44	8.20	4.86	9.45	6.96	19.48	18.38	6.28	0.00
	Rigid	3.15	2.20	1.70	12.71	5.63	7.82	13.13	6.32	19.86	16.63	23.13	28.05	10.57	0.00
	GVW	29.4	23.4	24.2	67.8	35.3	54.6	86.8	52.1	106.0	127.2	99.1	128.8	116.0	0.0
NW Lane2	Num	26	3,170	505	5	29	5	6	19	103	13	4	4	10	0
	Flex	.12	.06	.08	1.51	.86	1.03	1.24	1.00	3.87	2.85	10.07	6.69	1.55	0.00
	Rigid	.26	.06	.09	2.48	.98	1.74	1.91	1.31	7.57	7.85	11.88	9.03	2.55	0.00
	GVW	8.1	7.4	10.3	27.1	17.0	27.6	38.9	26.8	70.9	92.4	80.5	81.1	59.5	0.0
SE Lane1	Num	23	2,958	940	17	117	52	13	117	1,180	170	61	36	136	0
	Flex	1.82	.84	.62	5.80	3.43	3.33	6.28	3.17	8.12	5.73	17.01	14.59	14.30	0.00
	Rigid	3.96	.97	.68	9.34	4.01	5.57	11.35	4.10	16.77	15.07	20.04	21.34	27.30	0.00
	GVW	26.7	15.5	17.4	59.0	30.8	47.4	86.1	43.6	98.7	122.0	102.3	118.1	147.6	0.0

# Idaho Transportation Department

## Monthly WIM Distribution for Nov-2019

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		MC	CAR	PU	BUS	2D	SU 3	SU 4+	ST 4-	ST 5	ST 6+	MT 5-	MT 6	MT 7+	OFSC
SE	Num	36	3,520	122	2	10	4	5	9	62	9	4	2	7	0
lane2	Flex	.41	.05	.07	1.30	.43	.38	.40	.43	1.36	.75	1.56	1.88	1.88	0.00
	Rigid	.79	.05	.07	2.27	.47	1.13	.94	.46	2.69	2.01	1.80	2.40	3.18	0.00
	GVW	19.0	8.0	8.8	37.3	14.1	30.2	35.4	21.4	52.3	68.4	37.4	54.0	64.3	0.0

		UNCL
Road	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
SE	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
NW	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
NW	Num	0
Lane1	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9

# Idaho Transportation Department

## Monthly WIM Distribution for Nov-2019

Site names: 00128  
 County: Payette  
 Funct Class: R Principal Arterial - Interstate  
 Location: I-84 2.2 Mi. SE of Black Canyon IC

Seasonal Factor Grp: 3  
 Daily Factor Grp: 3  
 Axle Factor Grp: 1  
 Growth Factor Grp:

		UNCL
NW Lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
SE Lane1	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0
SE lane2	Num	0
	Flex	0.00
	Rigid	0.00
	GVW	0.0

Flex ESALs are calculated using Servicability=2.5, SN=5. Rigid ESALs use Servicability=2.5, Depth=9