

Idaho Transportation Department  
Percent of MADT At Continuous Count Speed Sites

|  |                           |
|--|---------------------------|
| Site ID: 001010 053.920                                    | Scheme ID: 6              |
| Location: #265 I-84 0.6 Mi. W. of Broadway Ave. IC (Boise) | County: ADA               |
| Axle Factor Group: 3                                       | Growth Factor Group: 4    |
| Seasonal Factor Group: 1                                   | FHWA Functional Class: 11 |
|  | Speed Limit: 65           |

| SPEED    | 1999 Traffic Year |        |        |        |        |        |        |        |        |        |        |        |      |
|----------|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|
|          | Jan               | Feb    | Mar    | Apr    | May    | Jun    | Jul    | Aug    | Sep    | Oct    | Nov    | Dec    | Avg  |
| 0>-30    | 0.3               | 0.2    | 0.4    | 0.2    | 0.2    | 0.3    | 0.3    | 0.3    | 0.2    | 0.6    | 0.6    | 0.8    | 0.4  |
| 30>-35   | 0.2               | 0.2    | 0.1    | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    | 0.1    | 0.2    | 0.2    | 0.4    | 0.2  |
| 35>-40   | 0.4               | 0.3    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.1    | 0.2    | 0.3    | 0.3    | 0.6    | 0.3  |
| 40>-45   | 0.6               | 0.5    | 0.4    | 0.4    | 0.4    | 0.5    | 0.5    | 0.4    | 0.4    | 0.5    | 0.5    | 1.2    | 0.5  |
| 45>-50   | 1.7               | 1.9    | 1.7    | 1.7    | 1.6    | 1.7    | 1.5    | 1.6    | 1.5    | 1.7    | 1.6    | 3.4    | 1.8  |
| 50>-55   | 6.1               | 6.9    | 6.8    | 6.7    | 7.0    | 7.4    | 6.7    | 6.8    | 6.3    | 6.1    | 5.8    | 9.5    | 6.8  |
| 55>-60   | 17.4              | 18.4   | 19.5   | 18.9   | 18.1   | 18.4   | 17.7   | 17.9   | 17.7   | 17.8   | 17.5   | 20.2   | 18.3 |
| 60>-65   | 33.7              | 32.8   | 33.5   | 34.7   | 33.3   | 32.7   | 32.4   | 32.6   | 31.9   | 31.4   | 31.0   | 30.5   | 32.5 |
| 65>-70   | 30.9              | 30.2   | 29.9   | 29.3   | 29.9   | 29.7   | 30.8   | 30.8   | 31.6   | 31.3   | 32.0   | 25.9   | 30.2 |
| 70>-75   | 7.4               | 7.3    | 6.5    | 6.6    | 8.0    | 7.8    | 8.3    | 8.1    | 8.7    | 8.7    | 9.1    | 6.4    | 7.7  |
| 75>-80   | 1.2               | 1.1    | 0.9    | 1.0    | 1.0    | 1.0    | 1.2    | 1.1    | 1.2    | 1.2    | 1.2    | 0.9    | 1.1  |
| 80>-85   | 0.1               | 0.1    | 0.1    | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.1    | 0.2  |
| 85>-140  | 0.0               | 0.0    | 0.0    | 0.0    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.0    | 0.0  |
| AVG SPD  | 62.9              | 62.7   | 62.6   | 62.7   | 62.9   | 62.7   | 63.0   | 63.0   | 63.2   | 62.9   | 63.0   | 61.3   | 62.7 |
| 50% SPD  | 63.5              | 63.3   | 63.1   | 63.1   | 63.4   | 63.3   | 63.5   | 63.5   | 63.7   | 63.6   | 63.8   | 62.3   | 63.3 |
| 85% SPD  | 69.0              | 68.9   | 68.8   | 68.8   | 69.0   | 69.0   | 69.1   | 69.1   | 69.2   | 69.2   | 69.3   | 68.6   | 69.0 |
| %EXCD 55 | 90.8              | 90.0   | 90.4   | 90.7   | 90.5   | 89.8   | 90.6   | 90.8   | 91.3   | 90.5   | 91.0   | 84.2   | 90.1 |
| %EXCD 60 | 73.4              | 71.6   | 70.9   | 71.8   | 72.3   | 71.4   | 72.9   | 72.9   | 73.7   | 72.7   | 73.5   | 64.0   | 71.8 |
| %EXCD 65 | 39.7              | 38.8   | 37.5   | 37.0   | 39.1   | 38.7   | 40.6   | 40.2   | 41.8   | 41.3   | 42.5   | 33.5   | 39.2 |
| %EXCD 70 | 8.8               | 8.6    | 7.6    | 7.8    | 9.2    | 9.0    | 9.7    | 9.4    | 10.2   | 10.0   | 10.5   | 7.6    | 9.0  |
| %EXCD 75 | 1.3               | 1.3    | 1.1    | 1.2    | 1.2    | 1.2    | 1.4    | 1.4    | 1.5    | 1.4    | 1.5    | 1.1    | 1.3  |
| %EXCD 80 | 0.2               | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    | 0.2  |
| %EXCD 85 | 0.0               | 0.0    | 0.0    | 0.0    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    | 0.0    | 0.0  |
|          | 51,902            | 52,627 | 56,792 | 57,913 | 60,072 | 63,818 | 62,911 | 63,739 | 60,410 | 60,956 | 57,475 | 55,441 |      |